



Richards-Wilcox®
Garage Doors

LANDMARK™ SERIES

Residential Product Catalogue




Made in Canada



rwdoors.com

Why Richards-Wilcox?



Celebrating Over 110 Years In Business

Incorporated in 1912, Richards-Wilcox® was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of continuous polyurethane-insulated sections. This was one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. R-W is proud of our rich history of excellence. We are committed to being innovators of sectional door design and to manufacturing the highest quality door systems in the world.

Quality Production

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.



Authorized Dealers

A door is only as good as its installation. That's why our doors are only installed by authorized dealers. This process ensures that every installation meets our standards of quality.



Made In Canada

Richards-Wilcox® has been in business for over 110 years; from parts, to hardware and panels, R-W doors are proudly made in Canada.



Lifetimer™ Warranty

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Lifetimer™ warranty.

The Landmark™ Series

All Doors Feature

Neufoam™ Insulation

Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

Pre-Painted Galvanized Steel Sheets

High-strength, rust-resistant and available in up to 12 colours to match the beauty of your home. No additional material (eg. wood) is used on our doors.

Weatherlock™ Section Joint

R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal

Prevents air leaks.

Thermal Break

Prevents heat transfer and air infiltration.

Galvanized Steel Endcaps

Heavy duty for additional strength.

Arctic-Grade Bulb-Shaped Bottom Seal

Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.




Table of Contents

Traditional Doors

Classic and Premium Collections.....	Page 4
Grandview Collection.....	Page 8

Modern Doors

Contemporary Collection.....	Page 10
------------------------------	---------

Carriage House Doors

Briarcrest Collection.....	Page 14
Echo Ridge Collection	Page 16
Echo Ridge XL Collection	Page 18

Custom Cedar Doors

Rockwood Collection.....	Page 20
Rockwood Contemporary Collection.....	Page 22

Additional Resources

Decorative Insert Windows.....	Page 6
Metal Insert Windows.....	Page 7
Grandview, Briarcrest & Contemporary Windows.....	Page 12
Landmark Elements Woodtones	Page 13
Decorative Hardware.....	Page 24
Standard Hardware.....	Page 25
Warranty Information.....	Page 26
Design-A-Door.....	Page 27

Classic and Premium Collections



Premium ▪ Recessed Smooth Ranch ▪ White ▪ Stockton 10 aluminum grid windows ▪ Clear glass

Traditional style garage doors

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- Up to 8 panel styles available
- 12 colour options available
- 20' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.




Classic (L138)
Premium (L200)

1 3/8" thick door
 2" thick door

R12 R-Value
 R18 R-Value

Panel Styles



Flush



Plank



Raised Ranch



Raised Colonial



Recessed Grooved Ranch



Recessed Grooved Colonial



Recessed Smooth Ranch




Mixed Panel
 Only available with Premium (L200)


Colour Options




Almond



Black




Bronze




Brown



Café




Desert Tan



Sandstone



Iron Ore




Slate Grey




White

Landmark Elements Woodtones



Cocoa
Hickory



Honey
Cedar

Plank and Flush panels styles are available in both woodgrain and stucco embossing.
 Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.
 Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
 Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

See pages 6 and 7 for window options

Decorative Inserts



Ranch Clear (42" wide x 14" high)



Colonial Clear (19.5" wide x 14" high)



Prairie Colonial (19.5" wide x 14" high)



Prairie Ranch (42" wide x 14" high)



Stockton Colonial (19.5" wide x 14" high)



Stockton Ranch (42" wide x 14" high)



Stockton Arch (42" wide x 14" high)



Stockbridge Arch (42" wide x 14" high)



Stockbridge Ranch (42" wide x 14" high)



Waterton Ranch (42" wide x 14" high)



Waterton Colonial (19.5" wide x 14" high)



Cascade Colonial (19.5" wide x 14" high)



Cascade Ranch (42" wide x 14" high)



Breckenridge




Berkshire

Frame Colour Options


Frame matching for all decorative inserts. Frames on the inside of the door are white.




Almond




Black




Bronze




Brown




Café




Desert Tan



Sandstone



Iron Ore



Slate Grey




White

Woodtone Frame Colour Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.




Cocoa
Hickory



Honey
Cedar


Glass Styles



Clear




Satin



Obscure



Dark Tint



Black Satin

Metal Inserts

Window Style




Stockton 4 (19.5" wide x 14" high)



Stockton 6 (19.5" wide x 14" high)



Stockton 10 (42" wide x 14" high)




Prairie Colonial (19.5" wide x 14" high)




Prairie Ranch (42" wide x 14" high)

Insert Material




Round Bar

3/8" (10 mm) round bars available in pewter.



Square Bar

3/8" (10 mm) square bars available in black.




Aluminum Grid

5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

Frame Colour Options


Frame matching for all metal inserts. Frames on the inside of the door are white.



Almond



Black




Bronze




Brown



Café




Desert Tan



Sandstone



Iron Ore



Slate Grey




White

Woodtone Frame Colour Options

Frame matching for all metal inserts. Frames on the inside of the door are white.



Cocoa
Hickory



Honey
Cedar

Glass Styles



Clear



Satin



Obscure

Grandview Collection



Grandview ▪ Flush ▪ Desert Tan ▪ Rectangle 4-Over-4 windows ▪ Obscure glass

Traditional style garage door with an extra large top section featuring 20% larger windows

Featuring

- 24" top section with extra large windows
- 2" (R18) section thickness
- 7 panel styles available
- 12 colour options available
- 18' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Grandview ▪ Recessed Smooth Ranch ▪ Slate Grey ▪ 4-Over-4 Two-Piece Arched windows ▪ Clear glass

Grandview (L200GV)

2" thick door

R18 R-Value

Panel Styles



Flush



Plank




Raised Ranch




Raised Colonial



Recessed Grooved Ranch



Recessed Grooved Colonial



Recessed Smooth Ranch


Colour Options




Almond



Black




Bronze




Brown



Café




Desert Tan



Sandstone



Iron Ore




Slate Grey



White

Landmark Elements Woodtones



Cocoa
Hickory



Honey
Cedar

Plank and Flush panels styles are available in both woodgrain and stucco embossing.
Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.
Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

See page 12 for window options

Contemporary Collections



Premium Contemporary • Black • Flush • Ranch windows • Satin glass

Modern style garage doors with a wide array of customizable window placements

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 panel styles available
- 12 colour options available
- 3 window styles available
- 20' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.




Premium Contemporary • Plank • Black • Single Slim windows • Satin glass

Classic Contemporary (L138C)
Premium Contemporary (L200C)


1 3/8" thick door
 2" thick door

R12 R-Value
 R18 R-Value

Panel Styles




Flush



Plank


Colour Options




Almond




Black



Bronze




Brown




Café




Desert Tan



Iron Ore



Sandstone




Slate Grey



White

Landmark Elements Woodtones



Cocoa
Hickory



Honey
Cedar

Window Options



Colonial




Ranch

Aluminum



Clear



Smoke

Slim



Single



Double


Aluminum and slim windows are only available on the premium contemporary model.
 Please see page 12 for full window information.

Popular Contemporary Configurations:


Colonial



Single vertical left




Double vertical left




Single vertical right


Ranch



Single vertical left




Single vertical right




Single vertical middle


Aluminum



Single vertical right




Single vertical left




Double vertical right


Slim



Single vertical left




Single vertical right



Double vertical middle

Slim and Aluminum windows are not available on the Classic Contemporary model.
 Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.
 Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
 Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Grandview and Briarcrest Windows



Standard window sizing




XL Grandview & Briarcrest Windows (20% larger than a standard ranch window)

Window Options 43.5" wide x 17" high

Rectangle



Wrought-Iron



4-Over-4



4-Pane



Clear

Two-Piece Arch



Wrought-Iron



4-Over-4



4-Pane



Clear


Glass Styles



Clear



Satin



Obscure

Frame Colour Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Cocoa
Hickory

Honey
Cedar

Contemporary Windows

Window Options



Colonial
(19.5" wide w x 14" high)




Ranch
(43" wide x 14" high)

Aluminum



Clear




Smoke

Slim




Single (35" wide x 7.5" high)



Double (70" wide x 8.5" high)


Glass Styles




Clear



Satin



Obscure



Dark Tint



Black Satin

Frame Colour Options

Available for Colonial, Ranch and Slim Windows. Frames on the inside of the door show as white.



Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Cocoa
Hickory

Honey
Cedar

Aluminum windows are only available in Clear and Satin glass. Frame matching is not available for Aluminum windows.

Slim windows are only available in Clear, Satin and Black Satin glass. Honey Cedar and Cocoa Hickory doors come standard with black slim windows.

Landmark™ Elements

Our Landmark Elements are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colours are available in the following Landmark models: Classic (L138), Premium (L200), Grandview (L200GV), Classic Contemporary (L138C) and Premium Contemporary (L200C).

Landmark Elements are offered in two designs:

Dual-Directional Design

Available in these panel styles:

- Raised Ranch
- Raised Colonial
- Recessed Grooved Ranch
- Recessed Grooved Colonial
- Mixed Panel (L200 only)

Plank Design


Available in this panel style:

- Flush

Cocoa Hickory



Dual-Directional Design



Plank Design

Honey Cedar



Dual-Directional Design



Plank Design

Briarcrest Collection



Briarcrest • Swing • Bronze • 4-Pane Arched windows • Clear glass

Carriage house style door featuring inlay patterns and extra large windows

Featuring

- 24" top section with extra large windows
- Recessed Smooth Ranch sections and carriage house inlays
- 2" (R18) section thickness
- 5 panel styles available
- 9 colour options available
- 18' x 12' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Briarcrest • Bi-Fold • Black • 4-Pane Rectangle windows • Clear glass

Briarcrest (L200BC)

2" thick door

R18 R-Value

Panel Styles



A-Buck




V-Buck



X-Buck



Bi-Fold




Swing


Colour Options




Almond



Black




Bronze




Brown




Café



Desert Tan



Sandstone



Slate Grey



White

Window Options 43.5" wide x 17" high

Rectangle




Wrought-Iron



4-Over-4



4-Pane



Clear

Two-Piece Arch



Wrought-Iron



4-Over-4



4-Pane



Clear


Glass Styles



Clear



Satin



Obscure

For full details on Window availability please see Page 12.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Echo Ridge Collection



Echo Ridge • V-Buck • Bronze • White overlays • 4-Pane windows • Clear glass

Carriage house style door with flush section and Fibrex® overlay boards

Featuring

- Flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 1 3/8" (R12) section thickness
- 6 panel styles available
- 6 colour options
- 2 overlay board colours
- 16' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge ▪ X-Buck ▪ White ▪ White overlays ▪ 3-Over-3 Rectangle windows ▪ Clear glass

Echo Ridge (L138ER)

1 3/8" thick door

R12 R-Value

Panel Styles




A-Buck



V-Buck



X-Buck



Swing



Bi-Fold




Double Bi-Fold


Colour Options




Almond




Bronze



Brown



Desert Tan




Sandstone



White

Overlay Board Options



Sandstone



White

Window Options



One Pane



Three-Over-Three Pane



One-Pane Arched



Three-Over-Three Arched



Three Pane

Glass Styles



Clear

Echo Ridge XL Collection



Echo Ridge XL • Swing • White on White • 3-over-3 windows • Clear glass

Three-section carriage house style door featuring Fibrex® overlay boards

Featuring

- 3-Section flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 2" (R18) section thickness
- 6 panel styles available
- 1 colour option available
- 2 overlay board options
- 16' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge XL (L200ERX)

2" thick door

R18 R-Value

Panel Styles



Colour Options



White

Overlay Board Options



Sandstone White

Window Options



Glass Styles



Clear

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Rockwood Collection



Stratford design • 3" V-match inlay • Stain grade • Arched top • 3-Over-3 Pane windows

Carriage house door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Custom cedar three-section door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Rockwood (L200RW)

3" thick sections
(2" Landmark panel & 1" cedar board)

R19.35 R-Value




Composite Material

1/2" Extria composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Rockwood Style Options


This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.




Bentley




Bracebridge




Crosshill




Harmony




Harrington




Linwood




Owen Sound




Oxford




Shakespeare



Stratford



Waterloo



Windsor

Window Options



One Pane



One-Pane Arched



Three-Pane Arched



Three Pane



Three-Over-Three



Three-Over-Three Arched

Rockwood Contemporary



Contemporary Style #5 • 5" V-Match inlay • Stain grade • Custom windows

Modern door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Modern custom cedar door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' X 10' max door size




Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Rockwood Contemporary (L200RWC)

3" thick sections
(2" Landmark panel & 1" cedar board)

R19.35 R-Value



Composite Material

1/2" Extria composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Popular Rockwood Contemporary Configurations


This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.




Style #1




Style #2




Style #3




Style #4




Style #5




Style #6




Style #7




Style #8




Style #16



Style #17



Style #19



Style #20

Decorative Hardware



16" Cast Iron Spear Hinge Assembly



16" Cast Iron Spear Hinge



16" Stamped Spade Hinge



16" Cast Iron Colonial Hinge



Keyed + Dummy
Spade L-Handle



Keyed + Dummy
L-Handle



Cast Iron
Colonial
Pull Handle



Cast Iron
Spear
Pull Handle



Arched Cast Iron
Fleur-De-Lys
Pull Handle



Stamped
Spade
Pull Handle



Cast Iron L-Handle
Long Dummy Handle



Cast Iron Fleur-De-Lys
Dummy Handle



Cast Iron
Colonial
Lift Handle



Cast Iron
Spear
Lift Handle



Cast Iron
Fleur-De-Lys
Lift Handle



Stamped
Spade
Lift Handle



Cast Iron Lion's Head
Door Knocker



Cast Iron Fleur-De-Lys
Door Knocker



Cast Iron Door Studs

Magnetic Hardware



Manor Collection



Colonial Collection



Mission Collection

Standard Hardware

Not Just Another Pretty Face. Our hardware components are made to the highest industry standards.



Standard Hardware

- 10,000-cycle torsion spring
- Brackets and flags riveted to the verticals
- Horizontal angle riveted to horizontals
- Bearing plate with press in bearing
- White nylon 11 BB rollers
- 14-gauge hinges
- 16-gauge vertical and horizontal track
- Full-length horizontal angle on double doors
- 5-year warranty



Standard Hardware Plus

- 20,000-cycle torsion spring
- Pre-assembled, bolt together track sets
- White nylon 11 BB rollers
- 14 gauge hinges
- 14 gauge vertical and horizontal track
- Features a locking collar bearing on single spring doors
- Lifetime warranty

Both SH and SH+ are available in these headroom configurations.

- High lift
- Standard lift 12" radius
- Standard lift 15" radius
- Low headroom rear-mount
- Low headroom front-mount

**Learn more about Standard Hardware
with our online poster.**



Standard Hardware

Our hardware components are made to the highest industry standards

Torsion Spring

SH
Standard Hardware Plus

50000 cycle life with the Standard Hardware Plus coil

SH+
Standard Hardware Plus

100000 cycle life with the Standard Hardware Plus coil

Operator Bracket

Pre-drilled and 1/4" x 1/4" holes for 1/2" pin (not included)

Track and Head Assembly

Standard pin/washer (not included) for the vertical and horizontal track with the Head assembly

Full length horizontal angle is standard for double doors

SH
Standard Hardware Plus

Vertical and horizontal track are 1/2" pin with the Standard Hardware Plus coil

SH+
Standard Hardware Plus

Vertical and horizontal track are 1/2" pin with the Standard Hardware Plus coil

Centre Bearing

Standard bearing on door with the Standard Hardware Plus coil

SH+
Standard Hardware Plus

Centre Hinge

Continuous grade 18 ga steel for longer service life 5/16" pin

Designed to fit the horizontal and a bending system for added strength

SH
Standard Hardware Plus

5 year hardware warranty for the Standard Hardware Plus

SH+
Standard Hardware Plus

Limited Lifetime* hardware warranty for the Standard Hardware Plus

Track Brackets, End Hinges & Rollers

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

Warranty

SH
Standard Hardware Plus

5 year hardware warranty for the Standard Hardware Plus

SH+
Standard Hardware Plus

Limited Lifetime* hardware warranty for the Standard Hardware Plus

Track Brackets, End Hinges & Rollers

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

1/4 pin for track

Richards Wilcox

Landmark[®] Warranty

Limited Lifetimer[™] Warranty

Richards-Wilcox warrants door sections against deterioration due to “rust through” and/or “delamination” and all hardware components (see below for spring detail) used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Briarcrest, Echo Ridge & Echo Ridge XL door systems are warranted against delamination for a period of five (5) years.
- Standard Hardware components are warranted for five (5) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.



Springs

Richards-Wilcox warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for a period of five (5) years from the date of delivery to the original purchaser.

Glass

Richards-Wilcox warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. Richards-Wilcox will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

Painting

Your Richards-Wilcox residential garage door is already protected with a long-lasting finish. No additional painting is required. R-W will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

For more warranty information please see rwdoors.com.

Design-A-Door



Build the perfect garage door for your home

Create a rendering of your garage door in minutes with our Design-a-Door tool. Choose from a wide range of styles, colours, and accessories to perfectly complement your home's aesthetic. Once your design is complete, simply request a quote from one of our authorized professional installing dealers.

Visit rwdoors.com to begin designing!





Richards-Wilcox®

Garage Doors

LANDMARK™ SERIES

**For additional information and friendly advice,
please contact your local Richards-Wilcox® dealer.**

Professionally installed and serviced by:

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037

rwdoors.com